National Climatic Data Center

DATA DOCUMENTATION

FOR

DATASET 6420h (DSI-6420h)

NOAA Research Flight Data (AOC)

G-IV (NOAA-49) HURRICANE SEASON 2005

May 3, 2006

National Climatic Data Center 151 Patton Avenue Asheville, NC 28801-5001 USA

Table of Contents

Top	ic	Page	Numbe	er
1.	Abstract			3
2.	Element Names and Definitions:			3
3.	Start Date			6
4.	Stop Date			6
5.	Coverage			6
6.	How to order data			7
7.	Archiving Data Center			7
8.	Technical Contact			7
9.	Known Uncorrected Problems			7
10.	Quality Statement			7
11.	Essential Companion Data Sets			7
12.	References			7

1. Abstract

NOAA's Aircraft Operations Center (AOC) maintains and operates a Gulfstream-IV jet aircraft for weather research projects throughout the year. Examples of these projects include hurricane surveillance, winter storm operations, and ozone and atmospheric chemistry missions. Each of these projects consists of a series of individual flights.

The real-time flight-level data is collected and written to the hard drive (.ADS file) as well as to a digital audio tape (DAT) on the aircraft. Afterwards, the file or tape is read and processed into a NetCDF format by a software program called NIMBUS created by Chris Webster of UCAR. For each archived project sent to NCDC, there are multiple directories consisting of individual flights. The data in these flight directories contain real-time measurements obtained from sensors located throughout the aircraft. Included in a flight directory are the raw ADS data file and the one hertz NetCDF file.

Due to the complexity of the ADS file, the following documentation is designed to describe the contents of the simpler and more commonly used NetCDF file.

2. Element Names and Definitions

NOAA-49 Aircraft N49RF Hurricane Season 2005

The NetCDF file contains the following measured and derived parameters along with the corresponding definitions.

ACINS Aircraft Vertical Acceleration from Inertial One- M/(S^2)
ACINS_PITR Aircraft Vertical Acceleration from Inertial Two M/(S^2)
ADCAOA Air Data Computer Attack Angle from Flight Station (Degree)

ADCBCALT Air Data Computer Baro Corrected Altitude (Meter)
ADCCAS Air Data Computer Computed Airspeed (M/S)
ADCMACH Air Data Computer Mach Number (None)
ADCPALT Air Data Computer Pressure Altitude (Mbar)

ADCSAT Air Data Computer Static Air Temperature (Celsius)

ADCTAS Air Data Computer True Airspeed (M/S)

ADCTAT Air Data Computer Total Air Temperature (Celsius)

AKRD1 Attack Angle, Left Side (Degree)
AKRD2 Attack Angle, Right Side (Degree)

ALT IRS Baro-Inertial Altitude from Inertial One (Meter)
ALT_PITR IRS Baro-Inertial Altitude from Inertial Two (Meter)

AOCDA Computed Drift Angle from Inertial One (Degree)

AOCDA_PITR

AOCTK

Computed Drift Angle from Inertial Two (Degree)

Computed Track Angle from Inertial One (Degree)

Computed Track Angle from Inertial Two (Degree)

AP1 Vertical Differential Pressure, Left (mbar)
AP2 Vertical Differential Pressure, Right (mbar)
AT1 Ambient Temperature, Top Left (Celsius)
AT2 Ambient Temperature, Bottom Right (Celsius)
AT3 Ambient Temperature, Top Right (Celsius)
AT4 Ambient Temperature, Bottom Left (Celsius)

ATTACK Attack Angle, Reference (Degree)

ATX Ambient Temperature, Reference (Celsius)

BCRYO No Title

BP1 Horizontal Differential Pressure, Top (Mbar)
BP2 Horizontal Differential Pressure, Bottom (Mbar)

CRYO CR-2 Hygrometer (Celsius)

CRYOC CR-2 Hygrometer, Corrected (Celsius)

DAP1 Raw Dynamic Attack Pressure, Left (Mbar)

DAP2 Raw Dynamic Attack Pressure, Right (Mbar)

DAY Raw Tape Day Component (none)
DBP1 Raw Dynamic Slip Pressure, Top (Mbar)
DBP2 Raw Dynamic Slip Pressure, Bottom (Mbar)

DIFF1 Difference Utility 1 (none)
DIFF2 Difference Utility 2 (none)
DIFF3 Difference Utility 3 (none)

DPL Dew/Frost Point Temperature, Left (Celsius)

DPLC Corrected Dew/Frost Point Temperature, Left (Celsius)

DPR Dew/Frost Point Temperature, Right (Celsius)

DPRC Corrected Dew/Frost Point Temperature, Right (Celsius)

DPX Dew/Frost Point Temperature, Reference- Either Right or Left (Celsius)
DPXC Corrected Dew/Frost Point Temp, Reference- Either Right or Left (Celsius)

DRFTA Inertial Drift Angle from Inertial One (Degree)
DRFTA PITR Inertial Drift Angle from Inertial Two (Degree)

DVALU D-Value (HGME-PALT) (Meter)

EDPC Ambient Water Vapor Pressure, Reference (Mbar)

EVENT_CKP Event Marker (none)
EVENT_CTL Event Marker (none)
EVENT_FCL Event Marker (none)
EVENT_FCR Event Marker (none)
EVENT_RCL Event Marker (none)
EVENT_RCR Event Marker (none)

GDIF1 Collins GPS- IRS#1 Position Difference (Meter)
GDIF2 Collins GPS- IRS#2 Position Difference (Meter)
GHALT-SG1 Honeywell GPS Altitude #1 –MSL (Meter)
GHALT_SG2 Honeywell GPS Altitude #2 –MSL (Meter)
GHGSF_SG1 Honeywell GPS Ground Speed #1 (M/S)
GHGSF_SG2 Honeywell GPS Ground Speed #2 (M/S)

GHHDOP_SG1 Honeywell GPS Horizontal Dilution of Position #1 (none)
GHHDOP_SG2 Honeywell GPS Horizontal Dilution of Position #2 (none)

GHHFOM SG1 Honeywell GPS Horizontal Figure of Merit

GHHFOM_SG2
GHLATF_SG1
Honeywell GPS Horizontal Figure of Merit (Meter)
Honeywell GPS Latitude #1, Fine (Degree)
Honeywell GPS Latitude #2, Fine (Degree)
Honeywell GPS Latitude #1 (Degree)
Honeywell GPS Latitude #2 (Degree)

GHLONF_SG1 Honeywell GPS Longitude #1, Fine (Degree)
GHLONF_SG2 Honeywell GPS Longitude #2, Fine (Degree)
GHLON_SG1 Honeywell GPS Longitude #1 (Degree)
GHLON_SG2 Honeywell GPS Longitude #2 (Degree)

GHMSTT_SG1 Honeywell GPS Measurement Status #1 (none)
GHMSTT_SG2 Honeywell GPS Measurement Status #2 (none)

GHSTAT_SG1 Honeywell GPS Status #1 (none)
GHSTAT_SG2 Honeywell GPS Status #2 (none)
GHUTC_SG1 Honeywell Time #1 (Seconds)
GHUTC_SG2 Honeywell Time #2 (Seconds)

GHVDOP_SG1 Honeywell GPS Vertical Dilution of Position #1 (none)
Honeywell GPS Vertical Dilution of Position #2 (none)

GHVEW_SG1 Honeywell GPS Ground Speed Vector, East Component #1 (M/S)

GHVEW_SG2 Honeywell GPS Ground Speed Vector, East Component #2 (M/S)

GHVFOM_SG1 Honeywell GPS Vertical Figure of Merit #1 (Meter)
GHVFOM_SG2 Honeywell GPS Vertical Figure of Merit #2 (Meter)

GHVNS_SG1 Honeywell GPS Ground Speed Vector, North Component #1 (M/S)
GHVNS_SG2 Honeywell GPS Ground Speed Vector, North Component #2 (M/S)
GHVZI_SG1 Honeywell GPS Computed Aircraft Vertical Velocity #1 (M/S)
Honeywell GPS Computed Aircraft Vertical Velocity #2 (M/S)

GPALT Collins GPS Altitude MSL- (M)

GPGALT Collins GPS Geopotential Altitude (M)
GPGSPD Collins GPS Ground Speed (M/S)
GPLAT Collins GPS Latitude (Degree)
GPLON Collins GPS Longitude (Degree)
GPTIME Collins GPS Time (Seconds)

GPTTP Honeywell GPS Time to Waypoint (Seconds)

GPVEW Collins GPS Ground Speed Vector, East Component (M/S)
GPVNS Collins GPS Ground Speed Vector, North Component (M/S)
GPVSPD Collins GPS Computed Aircraft Vertical Velocity (M/S)

GSF Inertial Ground Speed from Inertial One (M/S)
GSF_PITR Inertial Ground Speed from Inertial Two (M/S)
HGALT APN-232 Radar Geopotential Altitude (Meter)
HGM232 Geometric (Radar) Altitude APN-232- (Meter)
HGM232S APN-232 Radar Altitude Status Bit (Meter)
HOUR Raw Tape Time Component (Second)
IAS Aircraft Indicated Airspeed (M/S)

IWDHorizontal Wind Direction (IRS) Inertial One (Degree)IWD_PITRHorizontal Wind Direction (IRS) Inertial Two (Degree)IWSHorizontal Wind Speed (IRS) Inertial One (M/S)IWS PITRHorizontal Wind Speed (IRS) Inertial Two (M/S)

LAT Latitude from Inertial One (Degree)
LAT_PITR Latitude from Inertial Two (Degree)
LON Longitude from Inertial One (Degree)
LON_PITR Longitude from Inertial Two (Degree)

MACH Aircraft Mach Number (none)

MINUTE Raw Tape Time Component (Second)
MONTH Raw Tape Month Component (none)
MR Mixing Ratio, T-Electric (G/Kg)
ONE Constant Value of One (none)

PALT NACA Pressure Altitude in Meters (Meter)
PALTF NACA Pressure Altitude in Feet (Feet)

PCAB Cabin Pressure (Mbar)

PCRYO CR-2 Hygrometer Pressure (Mbar)

PITCH Aircraft Pitch Angle from Inertial One (Degree)
PITCH_PITR Aircraft Pitch Angle from Inertial Two (Degree)
PS1C Corrected Static Pressure, Top Fuselage (Mbar)
PS1M Raw Static Pressure. Top Fuselage (Mbar)

PS2C Corrected Static Pressure, Bottom Fuselage (Mbar)
PS2M Raw Static Pressure, Bottom Fuselage (Mbar)
PSX Raw Static Pressure, Reference (Mbar)
PSXC Corrected Static Pressure, Reference (Mbar)
QC1C Corrected Dynamic Pressure, Left (Mbar)
QC1M Raw Dynamic Pressure, Left (Mbar)
QC2C Corrected Dynamic Pressure Right (Mbar)

QC2C Corrected Dynamic Pressure, Right (Mbar)
QC2M Raw Dynamic Pressure, Right (Mbar)
QCX Raw Dynamic Pressure, Reference (Mbar)
QCXC Corrected Dynamic Pressure, Reference (Mbar)
RHODL Absolute Humidity, T-Electric Left (g/(m^3))

RHODR Absolute Humidity, T-Electric Right (g/(m^3))

RHUM Relative Humidity (%)

ROLL Aircraft Roll Angle from Inertial One (Degree)
ROLL_PITR Aircraft Roll Angle from Inertial Two (Degree)
SECOND Baw Tapa Time Companent (Second)

SECOND Raw Tape Time Component (Second)

SSDF1 Sideslip Angle, Differential Pressure, Top (Mbar)
SSDF2 Sideslip Angle, Differential Pressure, Bottom (Mbar)

SSLIP Sideslip Angle, Reference (Mbar)
SSRD1 Sideslip Angle, Top (Mbar)
SSRD2 Sideslip Angle, Bottom (Mbar)
TAS1 Aircraft True Airspeed #1 (M/S)
TAS2 Aircraft True Airspeed #2 (M/S)

TASHC Aircraft True Airspeed, Humidity Corrected (M/S)

TASX Aircraft True Airspeed, Reference (M/S)

THDG Aircraft True Heading Angle From Inertial One (Degree)
THDG_PITR Aircraft True Heading Angle From Inertial Two (Degree)

THETA Potential Temperature (Degree)

THETAE Equivalent Potential Temperature (Celsius)
THETAV Virtual Potential Temperature (Celsius)

TKAR Aircraft Track Angle Rate from Inertial One (Degree/Second)
TKAR PITR Aircraft Track Angle Rate from Inertial Two (Degree/Second)

TKAT Aircraft Track Angle from Inertial One (Degree)
TKAT_PITR Aircraft Track Angle from Inertial Two (Degree)

TT1 Total Temperature, Left Top (Celsius)
TT2 Total Temperature, Right Bottom (Celsius)
TT3 Total Temperature, Left Bottom (Celsius)
TT4 Total Temperature, Right Top (Celsius)
TTX Total Temperature, Reference (Celsius)
UI Wind Vector, East Component (M/S)
UX Wind Vector, Longitudinal Component (M/S)

VEW Inertial Ground Speed Vector, East Component from Inertial One (M/S) VEW_PITR Inertial Ground Speed Vector, East Component from Inertial Two (M/S)

VI Wind Vector, North Component (M/S)

VNS Inertial Ground Speed Vector, North Component from Inertial One (M/S) VNS_PITR Inertial Ground Speed Vector, North Component from Inertial Two (M/S)

VSPD IRS-Computed Vertical Velocity from Inertial One (M/S)
VSPD PITR IRS-Computed Vertical Velocity from Inertial Two (M/S)

VY Wind Vector, Lateral Component (M/S)
WD Horizontal Wind Direction (Degree)

WI Wind Vector, Vertical Gust Component (M/S)

WP3 Damped Aircraft Vertical Velocity from Inertial One (M/S)
WP3_PITR Damped Aircraft Vertical Velocity from Inertial Two (M/S)

WS Horizontal Wind Speed (M/S)

XLATC GPS-Corrected Inertial Latitude (Degree)
XLONC GPS-Corrected Inertial Longitude (Degree)
XMACH2 Aircraft Mach Number Squared (none)

XVEWC GPS-Corrected Inertial Ground Speed Vector, East Component (M/S)
XVNSC GPS-Corrected Inertial Ground Speed Vector, North Component (M/S)

YEAR Raw Tape Year Component (none)
ZERO Constant Value of Zero (none)

3. Start Date

20050501

4. Stop Date

20051201

5. Coverage

a. Southernmost Latitude: 10 N (or S)
b. Northernmost Latitude: 35 N (or S)
c. Westernmost Longitude: -100 W (or E)
d. Easternmost Longitude: -40 W (or E)

6. How to Order Data

Ask NCDC's Climate Services about costs of obtaining this dataset. Phone 828-271-4800

Fax 828-271-4876

e-mail- orders@ncdc.noaa.gov

7. Archiving Data Centers

Name : National Climatic Data Center/NCDC

Address: Federal Building 151 Patton Ave.

Asheville, NC 28801-5001

Voice Telephone: 828-271-4800

Name: Aircraft Operations Center

Address: Science and Engineering Division

P.O. Box 6829

MacDill AFB, FL 33608-0829

Voice Telephone: 813-828-3310

Fax: 813-828-5061

8. Technical Contact

Flight Director's Name: Martin Mayeaux, Paul Flaherty, Barry Damiano, Jack

Parrish

Address: Aircraft Operations Center

P.O. Box 6828

MacDill AFB, FL 33608-0829

Voice Telephone: 813-828-3310

Fax: 813-828-5061

NIMBUS Software to read ADS File

http://www.atd.ucar.edu/atd/instruments/raf/ads

Chris Webster cjw@ucar.edu

9. Known Uncorrected Problems

none

10. Quality Statement

Note: The parameters listed as "Reference", in the elements and definitions section, represent the best sensor chosen amongst the group of sensors

measuring an atmospheric phenomenon. The sensor that is used as the reference value may also be used as input for other parameter derivations.

11. References

none